



## Tilting shower chair with supports PSP 501AC

- Two finishing options are available: glossy (PSP 501AC) or mat (PSM 501AC)
- Smooth edges to prevent accidental catching and cuts
- Can be freely lifted upwards
- Maximum lifting capacity of 180 kg
- Made of AISI 304 stainless steel, resistant to corrosion, rust, and some acids
- Can be installed in rooms exposed to moisture
- The mounting kit included Stainless steel cap nuts
- Easy to clean
- Certificate of the Polish Institute of Hygiene
- CE declaration of conformity
- National Declaration of Performance

Material	AISI 304 stainless steel/ phenolic-resin board
Finish	Gloss (PSP 501AC) or Mat ( PSM 501AC)
Handrail type	Hinged without supports
Handrail length	470x440 mm
Tube diameter	Ø 25 mm
The wall thickness :	1,5 mm
Maximum capacity	180 kg
Hole diameter	Ø 12 mm
Number of fixing holes:	12
Includes	Includes 8x100 mm screws, 12x100 mm plugs

Tilting chair with supports for the disabled, intended for shower mounting. The chair is made of AISI 304 stainless steel, resistant to rust, corrosion and some acids. The 501AC series seat has smooth edges, which means that its structure eliminates the possibility of accidental catching or injury.

What's more, the presented chair can be freely tilted upwards, thus, when the chair is folded, the maneuverability of the room increases. For the production of the seat 501AC, a tube with a diameter of 25 mm was used, with a wall thickness of 1.5 mm. The dimensions of the seat are 470x440 mm, while its maximum load capacity is 180 kg. In addition, the chair is available in two variants as to the surface finish:

- PSP 501AC, the polished variant;
- PSM 501AC, the matt variant.